

DURATWIX® UNI-VARIO CUFF

1 ICU + 1 ICV

- Tracheostomy tube with two inner cannulas, both with 15 mm connector, one with rotating 15 mm connector (ICV) to buffer torque and tensions
- Soft double-swivel ROTATWIX® neckflange, rotating in 360° for enhanced neck mobility
- Medical-grade polyurethane, soft, atraumatic, thermosensible
- MUCOPROTECT® cuff: very thin walls for proper seal, reduced surface contact with tracheal Mucosa to minimize pressure area
- Modular: 6 different types of inner cannulas
- Set includes broad and adjustable OPTIFLAUSCH® tube holder, obturator and product ID card
- Size 7 10 available in two lengths
- Colour coding Inner cannula: fenestrated/unfenestrated, standard length/short Imprint outer cannula neckflange: sieve-fenestrated/non-fenestrated

Sterilized using ethylene oxid Do not resterilize Keep away from sunlight Single patient use Consult instructions for use

only	CAUTION:
	United States Federal law
	restricts this device to sale,
	distribution and use by or
	on order of a physician or a
	licensed practitioner (in the
	US only).

€ 0482	CE marking identification
	number of the notified body

Product made in Germany

Order information: DURATWIX® UNI-VARIO CUFF 1 ICU + 1 ICV, SIZE 6-10 DURATWIX® UNI-VARIO CUFF short 1 ICU + 1 ICV, SIZE 7-10 When ordering, please state the size after the item number! REF 19612

Size	O.D. neck flange mm	O.D. Tip mm	I.D. mm	Length mm standard	REF standard	Length mm short	REF short
6	11.9	10.3	6.0	82.0	19611-06	-	-
7	11.9	10.8	7.0	82.0	19611-07	72.0	19612-07
8	12.5	11.4	8.0	85.0	19611-08	75.0	19612-08
9	13.7	12.5	9.0	88.0	19611-09	78.0	19612-09
10	15.0	13.8	10.0	91.0	19611-10	81.0	19612-10

O.D. Tip = Outer diameter of the outer tube at the tip of the cannula · O.D. neck flange = Outer diameter behind the neck flange · I.D. = Inner diameter at the tip of the cannula · Length = Length over the outer curve